


# Reply to Lockwood and Fröhlich – The persistent role of the Sun in climate forcing

Svensmark, H. and Friis-Christensen, E.



---

Reply to Lockwood and Fröhlich – The persistent role of the Sun in climate forcing

Svensmark, H. and Friis-Christensen, E.

Danish National Space Center  
Scientific Report 3/2007

ISBN-10 87-91694-14-0  
ISBN-13 978-87-91694-14-1  
<http://www.space.dtu.dk>

# Reply to Lockwood and Fröhlich - The persistent role of the Sun in climate forcing

Henrik Svensmark† and Eigil Friis-Christensen  
Danish National Space Center, Copenhagen, Denmark

In a recent paper (ref. [1]) Mike Lockwood and Claus Fröhlich have argued that recent trends in solar climate forcing have been in the wrong direction to account for "the observed rapid rise in global mean temperatures". These authors accept that "there is considerable evidence for solar influence on Earth's pre-industrial climate and the Sun may well have been a factor in post-industrial climate change in the first half of the last century." But they argue that this historical link between the Sun and climate came to an end about 20 years ago. Here we rebut their argument comprehensively.




FIG. 1: The solar cycle is represented here in red by Haleakala/Huancayo cosmic ray counts, inverted (ref. [3]). In temperature variations other than those in the surface record favored by Lockwood and Fröhlich, the Sun's influence remains obvious. The tropospheric data are for 850 to 200 hPa (ref. [4]) and the ocean data are from the Simple Ocean Data Assimilation (SODA ref. [5]). There is no detrending of the data. Note also an apparent cooling of the ocean near-surface water since the 1990s.

Their analysis relies on data on surface air temperature which, they say, "does not respond to the solar cycle". Yet over the past 20 years the solar cycle remains fully apparent in variations both of tropospheric air temperature and of ocean sub-surface water temperature (Fig. 1). Here cosmic-ray flux (inverted) is used as an index of solar activity. Fig. 2 shows an analysis of tropospheric temperatures for the European Space Agency's ISAC project (Influence of Solar Activity Cy-

cles) (ref.[2]). After the removal of confusions due to El Niño, volcanoes etc. and also a linear trend, as in the middle panel of Fig. 2, the negative correlation between cosmic-ray flux and tropospheric air temperatures is impressive. This is in keeping with the direct link between cosmic rays and cloud cover previously discussed (refs. [6-8]).




FIG. 2: The solar cycle and the negative correlation of global mean tropospheric temperatures with galactic cosmic rays are apparent in this ESA-ISAC analysis (ref. [2]). The upper panel shows observations of temperatures (blue) and cosmic rays (red). The lower panel shows the match achieved by removing El Niño, the North Atlantic Oscillation, volcanic aerosols, and also a linear trend ( $0.14 \pm 0.4$  K/Decade).

When the response of the climate system to the solar cycle is apparent in the troposphere and ocean, but not in the global surface temperature, one can only wonder about the quality of the surface temperature record. For whatever reason, it is a poor guide to Sun-driven physical processes that are still plainly persistent in the climate system.

As for the upward linear trend removed from Fig. 2 (lower), it is customary to attribute to greenhouse gases any increase in global temperatures not due to solar changes. While that is reasonable, one cannot distinguish between the effects of anthropogenic gases such as carbon dioxide and of natural greenhouse gases. For example, increased evaporation means that infrared radiation from water vapor, by far the most important greenhouse




FIG. 3: The temperature of the troposphere (HadAT2 850-200 hPa, ref. [4]) from January 1987 to July 2006 shows only a small trend since the beginning of the 1990s.

gas, will tend to provide positive feedback for any global warming, whether driven by anthropogenic or solar forcing. In any case, the most recent global temperature trend is close to zero.

Lockwood and Fröhlich erase the solar cycle from various data sets by using running means of 9 to 13 years. While these may be appropriate to illustrate trend reversals since about 1985 in various indicators of solar activity, in the case of global mean surface temperatures the use of a long running mean creates the illusion that the temperatures are still rising rapidly early in the 21st Century. Their Fig. 3f (ref. [1]) suggests a remarkable 0.1 K increase between 1998 and 2002, when the curves terminate. In reality, as shown in the unsmoothed presentation of monthly data in their own Fig. 1e, global surface temperatures have been roughly flat since 1998. The apparent pause in global warming is even plainer and of longer duration in the tropospheric data, as sampled in our Fig. 3.

	1960-1975	1975-1990	since 1990
CR (%)/decade	$-1.44 \pm 0.78$	$3.80 \pm 1.92$	$-0.48 \pm 0.75$
Tropos. (K/decade)	$-0.13 \pm 0.03$	$0.32 \pm 0.05$	$0.13 \pm 0.02$
Ocean (K/decade)	$-0.07 \pm 0.02$	$0.05 \pm 0.03$	$-0.10 \pm 0.02$

Table 1. The accompanying Table shows the variation in trends for the three periods 1960-1975 1975-1990, and since 1990. The trends in ocean temperatures changed sign to match the variations in solar activity. For the troposphere the temperature trend changed sign in 1975, and since 1990 its magnitude has been greatly reduced. Note the cosmic ray variation (CR) has been inverted.

By Lockwood and Fröhlich's own data, solar magnetic activity is still high compared with 100 years ago. As to when the recent easing of activity began, counts of cosmic-ray muons at low altitudes were historically low

when the muon record-keeping ended in the early 1990s (ref. [7]). That implies an increase in relevant solar magnetic activity continuing till that time. A scarcity of muons can be linked to elevated global temperatures by a reduction in low cloud cover (ref. [8]) and low cloudiness was indeed at a minimum around 1992-93. By other solar indicators, like those cited by Lockwood and Fröhlich, the minimum muon counts may well be a little higher in the current solar cycles. That would explain the pause in global warming evident in our Table as well as in Lockwood and Fröhlich's own Fig. 1e.

That would explain the pause in global warming evident especially in the ocean (Fig. 1) and the troposphere (Fig. 3). The continuing rapid increase in carbon dioxide concentrations during the past 10-15 years has apparently been unable to overrule the flattening of the temperature trend as a result of the Sun settling at a high, but no longer increasing, level of magnetic activity. Contrary to the argument of Lockwood and Fröhlich, the Sun still appears to be the main forcing agent in global climate change.

† hsv@spacecenter.dk

- 
- [1] M. Lockwood and C. Fröhlich, Proc. R. Soc. A, doi:10.1098/rspa.2007.1880, [http://www.pubs.royalsoc.ac.uk/media/proceedings\\_a/rspa20071880.pdf](http://www.pubs.royalsoc.ac.uk/media/proceedings_a/rspa20071880.pdf)
  - [2] ISAC Final Report 2007, "Danish National Space Center Scientific Report 2/2007", ISBN-10 87-91694-12-4 <http://www.spacecenter.dk/research/sun-climate/Projects/isac>
  - [3] Climax and Haleakala/Huancayo neutron monitor <http://ulysses.sr.unh.edu/NeutronMonitor/>
  - [4] D.E.Parker, Gordon, M., Cullum, D.P.N., Sexton, D.M.H., Folland, C.K., and Rayner, N. 1997: 'A New Gridded Radiosonde Temperature Data Base and Recent Temperature Trends'. Geophys. Res. Letters, 24, 1499-1503
  - [5] Carton, J.A., G. Chepurin, X. Cao, and B.S. Giese, 2000a: A Simple Ocean Data Assimilation analysis of the global upper ocean 1950-1995, Part 1: methodology, J. Phys. Oceanogr., 30, 294-309.  
Carton, J.A., G. Chepurin, and X. Cao, 2000b: A Simple Ocean Data Assimilation analysis of the global upper ocean 1950-1995 Part 2: results, J. Phys. Oceanogr., 30, 311-326.
  - [6] H. Svensmark and E. Friis-Christensen, Variation of Cosmic Ray Flux and Global Cloud Coverage - a Missing Link in Solar-Climate Relationships, *J. Atmos. Sol. Terr. Phys* **59**, 1225 (1997).
  - [7] H. Svensmark, Influence of Cosmic Rays on Earth's Climate, *Phys. Rev. Lett.* **81**, 5027 (1998).
  - [8] N. D. Marsh and H. Svensmark, Low Cloud Properties influenced by Cosmic Rays *Phys. Rev. Lett.* **85**, 5004 (2000).

# DNSSC Scientific Report Series

DNSSC Report Series is an informal report series, published at irregular intervals. This publication is copyrighted and may therefore only be reproduced electronically or in other media if this corresponds to direct citation and includes a full reference to the publication, i.e. individual pictures or brief quotations from the text.

1/2005 Khan, Shfaqat Abbas: Surface deformations analyzed using GPS time series

1/2007 Olsen, Nils; Terence J. Sabaka and Luis R. Gaya-Pique:  
Study of an Improved Comprehensive Magnetic Field Inversion Analysis for *Swarm*

2/2007 Christiansen, Freddy; Haigh, Joanna D. and Lundstedt, Henrik: Influence of Solar Activity Cycles on Earth's Climate – ISAC Final Report (in press)

3/2007 Svensmark, Henrik and Friis-Christensen, Eigil: Reply to Lockwood and Fröhlich – The persistent role of the Sun in climate forcing

Danish National Space Center  
Juliane Maries Vej 30  
DK-2100 København Ø  
Phone +45 3532 5700  
Fax + 45 3532 2475  
Mail [office@space.dtu.dk](mailto:office@space.dtu.dk)  
[www.space.dtu.dk](http://www.space.dtu.dk)